



IDENTICAL

international

VETERINARY INSTRUMENTS CATALOGUE

Finest quality of
INSTRUMENTS

IDENTICAL INTERNATIONAL

Near Barkat Market, New Miana Pura West,
Roras Road, Sialkot 51310 Pakistan

E-mail: info@identicalint.com / identicalintl@gmail.com

Mobile and Whatsapp: 0092-313-5192222





Introduction

Identical International is the well known name in Manufacturers and Exporters all kinds of Surgical, Dental, Manicure, Veterinary, TC, Electro Instruments since 2005, based at Pakistan.

We are Manufacturers & Exporters of Surgical, Dental, Manicure, Veterinary, TC, Electro Instruments. All our Instruments are made with top quality raw material and are treated to enhance softness, durability. We guarantee for all our instruments for workmen ship and stainless steel quality at extremely competitive price with timely delivery. Our instruments can also be had with buyer's own logos or symbols. We sincerely desire to induct you in the circle of our honorable Importers, wholesalers, Retailers and Distributors of above all instruments, in the world over we are specialized in the above mentioned items.

Many years' experience in the Business of Surgical, Dental, Manicure, Veterinary, TC, Electro Instruments has taught us that quality instruments, favorable price, prompt shipments should be only part of our service: rather, "Customer Satisfaction" is always the ultimate goal we are striving for.

At **Identical International**, we have made tremendous efforts to communicate more with you. Our valued customers, to provide and exchange any up-to-date market information and price trends; to bring innovation to help you enhance your competitiveness to learn about what you need to care about what you feel? And support you with all that in our capacity. We understand that customer's growth is also our growth and your future is also our future. We call this "Partnership".

This now means that our many satisfied customers enjoy the flexible terms and condition offered when purchasing our instruments, But also the cast effective convenience of a regional office.

We look forward to further development of our ongoing successful cooperation.

Faithfully yours



Process of Instruments

Steel the quality of steel is very important in the production of quality instruments. The best you select the best you produce. In order to ensure the finest of quality steel, we have imported or best quality local steel as required by valued customers.

Forging is a process of cutting shaped raw instruments with the help of dyes and hammers. Here, the skilled hands give life to the metal and give it the rudimentary shape that will go through series of complicated processes.

Forging Inspection at this stage, forged tools are checked to ensure no piece contains any cracks or is reshaped beyond acceptable limits. Checking the quality of raw instruments for: -
a. Shape fault b. Broken

Machining in this process forging is cut or shaped by machines i.e. cutting sharp edges and raw material in the shape. Here instruments are given their shape through grinding and hammers. For this purpose, extremely skilled labor is required and this process is carried out by instrument specialists only.

Milling drilling of holes in the instruments where required for screws. Different kinds of screwing machines are used and instruments are made pairs here. Instruments with even the slightest difference in whole positions will suffer otherwise.

Inspection at this stage, all the instruments is inspected not only for machining and milling, but for every process they've been through. It's the stage where only best instruments are selected and instruments with tiny holes and manufacturing faults are again sorted out.

Filling at this stage the steel is not too hard so filling is used to shape the instruments in the exact shape they are required to be. The workers match the shape exactly with the samples provided at this stage. So the instruments get most of their shapes at this stage.

Filling Inspection after filling the inspection is made and measurements and shapes are checked according to samples.

Binding and Temper at this step the instruments are bound in groups of 12 pieces. Then they put them in temper machine, which is filled with a particular material. Here instruments are tempered and its ensured that every instrument get equal heat and treatment so a consistent quality would achieve.

Snuffing Fitting for scissors and forceps they are in two pieces so they are joined in this process with screw. Forceps (Tweezers) are joined before and their joint is leveled with a machine by burning the raw material on the joint. At the same stage, instruments are filled to eliminate welding suspensions.

Plant or Heat Treatment in this process the instruments are dipped in a material by hanging for five minutes to harden the material.

Polishing instruments is polished at this stage. Till this point at manufacturing stage, all the necessary shaping is done. Polishing makes every millimeter of instrument clear and any instrument with hidden defects are revealed could be sorted out.



Process of Instruments

Identical International Inspection 2% of each lot of instruments is checked by executives and then goes the further processing. In inspection they see each and every part and defective parts are marked with red marker and if rejected send to polishing again.

Ultrasonic cleaning in this process the instruments are dipped in two materials for cleaning the polish raw thing on it. One min. for first material and then for half min. for other material. Ultrasonic cleaning cleans any polishing material stuck and leaves the instrument crystal clear.

Lubrication all the instruments involving screws are lubricated at this step. Lubricating the instruments moveable portions facilitates the instrument movement.

Tuck checking In this process workers check the cuts and all other things just by viewing the instruments individually.

Etching putting each instrument on stamp pad and burning process to put stamp on each instrument. This stamping procedure is done through electronic etching machines that make the stamp reliable and even sustainable under high boiling temperatures when instruments are sterilized.

Cleaning and Checking instruments are cleaned and checked again one by one. Again it's the checking for operation, measurements, polish and usability. **Identical Internationalry Inspection 4 %** of the instruments is inspection by SSE Directors. Samples for inspection are taken randomly and are observed to every bit of detail. Even the slightest difference from acceptable standards could result in rejection of whole lot.

Packing in boxes each contains 100 pieces. 10 Boxes in an each Carton. Here instruments are packed with respect to sizes and types. Instruments boxes are properly labeled and stored in proper storing environment.

Labeling is put in this process.

Storage by lot and order number



Table of Contents

01 Inst Castration Emasculations	03
02 Hoof & Claw Instruments	04
03 Restraining Equipment	05
04 Instruments for Dog Care	06
05 Animal Scissors for Equips	07
06 Measuring Instruments	08
07 Dehorning Instruments	09
08 Self Retaining Retractors	10
09 Tooth Instruments	11
10 Various Instruments	12
11 Trays for Inst & Syringes	14
12 Post Mortem	16
13 Equestrians Equipment	18



II-V-1001

With wooden handle
30 cm, 11.8



II-V-1002

23 cm, 9,



II-V-1003

Castrating forceps
35 cm, 14,



Verboczy

II-V-1004

With clamping parts
27 cm, 10.5



Haussmann

II-V-1005

Straight
27 cm, 10 5/8, 31 cm, 12.5



Haussmann

II-V-1006

Curved
19 cm, 7 1/2, 27 cm, 10 5/8,



II-V-1101

Hoof knife, with especially thin-ground blade
right & left hand
20 cm, 8",



II-V-1102

With wooden handle left & right side
19 cm, 7 1/2",



II-V-1103

With wooden handle
20 cm, 8",



II-V-1104

Stainless steel handle
20 cm, 8",



Vienna pattern

II-V-1105

36 cm, 14 1/8",



II-V-1106

Hoof Testing Forceps
30 cm, 11 3/4",



Strub
II-V-1201
30 cm, 113/4,



Nose Ring
II-V-1202
2" inside diameter, with safety screw
30 cm, 113/4,




Mouth Gags
II-V-1203
101/2 cm, 4 1/8, 15 cm, 6,




II-V-1204
Encartement 7cm.
23/4,



II-V-1205
181/2 cm, 71/4,




II-V-1206
Forged steel
181/2 cm, 71/4,




II-V-1301

Ear clamps for Dog, straight of light metal
11 1/2 cm, 4 1/2, 15 1/2 cm, 6 11/8,



II-V-1302

Ear clamps for Dog, straight of light metal
15 1/2 cm, 6 11/8,



II-V-1303

Stainless steel
17 cm, 6 3/4,



II-V-1304

Stainless steel
16 cm, 6 1/4,



Stainless steel

II-V-1305

Curved on flat scissors
17 cm, 6 3/4,



Stainless steel

II-V-1306

Curved on flat scissors
17 cm, 6 3/4,



Cattle-Clipper

II-V-1401

Narrow toothed
17 cm, 6 3/4,



Cattle- and Dog Clipper

II-V-1402

Strong model, wide toothed
17 cm, 6 3/4,



Doyen Clamp

II-V-1403

Stainless steel
24 cm, V 1/2,



Sheep Shear

II-V-1404

Stainless steel
Large Size 14,



Hoof Shears

II-V-1405

Curved on flat scissors
For Sheep, 8,



Torsion fork

II-V-1406

With Fixation bar stainless steel
For Sheep, 8,



Fig. 2
Boley

Boley Gauge

II-V-1501

Screw lock
10 cm, 4",



Vernier Caliper

II-V-1502

11 1/2 cm 4 1/2",



Veterinary Pal Caliper

II-V-1503

10 cm, 4",



Lwanson Clipper

II-V-1504

All uses, for metal- for wax
10 cm, 4",



II-V-1601
Caw Cutter, side action
60 cm, 23 1/2,




II-V-1602
Barnes Dehorner (American Pattern)
60 cm, 23 1/2,



II-V-1603
For calves age 3 - 6 months
60 cm, 23 1/2,



Hoof- and Claw Cutter
II-V-1604
(our popular model)
41 cm, 16,



Krause
II-V-1605
Milk sucking preventer
41 cm, 16,



Wide Toothed
II-V-1606
Clipper with wooden handle
41 cm, 16,



**Weitlaner
II-V-1701**
Sharp/Blunt
13 cm, 5, 16 1/2 cm, 6 1/2,



**Weitlaner
II-V-1702**
Blunt
10 1/2 cm, 4 1/8,



**Adson
II-V-1703**
Blunt
14 1/2, 5 3/4,



**Weitlaner
II-V-1704**
Blunt
13 cm, 5, 16 1/2 cm, 6 1/2,



**Collin
II-V-1705**
With 2 Pair of blades
17 1/2 cm, 7,



**Weitlaner
II-V-1706**
Blunt
20 cm, 8,



II-V-1801

Tooth forceps for whelps and other small animals, slightly bent stainless steel handle 20 cm,8,



Flohr

II-V-1802

Root elevator, right stainless steel handle 20 cm,8,



Gunther

II-V-1803

Tooth forceps for large animals 20 cm,8,



Tooth Rasp

II-V-1804

With interchange-able blade single piece 55 cm,22,



Tooth Rasp

II-V-1805

For lower jaws with interchangeable blade, rasp surface on one side and the file on the other side, Folding (two pieces) straight or bended



Scaler, hook shape

II-V-1806

55 cm,22,



Hug
II-V-1901
Teat tumor extactot
15 cm, 6,



Paimans
II-V-1902
Teat Dilator
13 cm, 5,



Schecker
II-V-1903
Teat Dilator
11 cm, 4 1/2,



Ullner
II-V-1904
Teat curette
17 cm, 6 3/4,



Teat slitte
II-V-1905
French pattern
10 cm, 4,



Teat Dilator with screw
II-V-1906
14 1/2 cm, 5 3/4,




Hug Teat Lancet
II-V-1907
15 1/2 cm, 6 1/8,



Steriler Drums
II-V-2001
3 1/2,



Steriler Drums
II-V-2002
125X120mm, 150X150mm,



High polished
II-V-2003
125X120mm, 150X150mm,



Perforated trays
II-V-2004
18/8, 505X305X60mm,



Trays
II-V-2005
7,



II-V-2006
220X70mm,



Glycerine Syringe
II-V-2007
With 3 rings, i cannula,
220X70mm,



Pomerory Ears Syring
II-V-2008
Chrome plated
220X70mm,



**Virchow
II-V-2101**
stainless handle
24 1/2cm, V 1/2,



**Virchow
II-V-2102**
Wooden handle
24cm, V 1/2",



**Virchow
II-V-2103**
Wooden handle
25 1/2cm, V 1/2",



II-V-2104
stainless handle
28 cm, 11",



**Charriere
II-V-2105**
Adjustable, with 3 saw blades, 3, 5 and 7mm
wide 2
28cm, 11,



**Satterlee
II-V-2106**
31cm, 12 1/4",



Stille
II-V-2107
23 9",



Virchow
II-V-2108
stainless
22cm, 8 3/4",



II-V-2201
22cm, 8 3/4,

II-V-2202
22cm, 8 3/4,

II-V-2203
22cm, 8 3/4,



II-V-2204
22cm, 8 3/4,

II-V-2205
22cm, 8 3/4,

II-V-2206
22cm, 8 3/4,



II-V-2207
22cm, 8 3/4,



II-V-2208
22cm, 8 3/4,



IDENTICAL

international



IDENTICAL INTERNATIONAL

Near Barkat Market, New Miana Pura West,
Roras Road, Sialkot 51310 Pakistan

E-mail: info@identicalint.com / identicalintl@gmail.com

Mobile and Whatsapp: 0092-313-5192222

